

ART5.4 / ART8.8

The art5.4 or art8.8 is a complete and user-friendly audio distribution system for four or eight separate zones. The extensive choice of integrated or non-integrated sources lets everyone listen to his or her favourite music. Control options are possible via optional wireless wall transmitters, touchscreens (2 versions), via WiFi or domotics.

Thanks to the free app and integrated web server, remote control (IP), device configuration and audio management are all perfectly possible.

EXTRA FFATURES:

- Integrated webserver.
- Remote control (IP), device configuration and audio management.
- Access to shared network drives or computers
- Event scheduler
- one linking
- Alphabetical search function in audio database

- Activation via Android or mobile iOS-based systems (iPhone, iTouch...)
- Coupling with various domotics applications possible






The Art is a discreet central system that controls all the components throughout your house, yet still fits in every living room thanks to its ingenious design.



TECHNICAL SPECIFICATIONS

TYPE	ART5.4	ART8.8
zones	4 zones	8 zones
sources	2 x built-in FM tuner with RDS info	
	1 digital audio player	3 digital audio players
operation	4-wire bus system for wired operation	
	Ethernet port (setup & activation)	
inputs	2 x RCA in	3 x RCA in
	4 x trigger in (12V)	
	2 x serial RS-232 port	
	1 x LAN / 1 x SD / 2 x USB (front, back)	
outputs	4 stereo LS signal outputs	8 stereo LS signal outputs
		8 stereo pre-out outputs
	5 x IR out (3.5mm jack)	/ 1 x trigger out (12V)
extra	future-proof thanks to firmware updates (network - USB)	
	2 zone groups	
	event planner	
	personal audio spheres	
power supply	110V <u>-</u> 230V	
weight	6kg	6,2kg
dim. (h x w x d)	115 x 436 x 415mm	
option	ask for our accessories overview	








ART5.4 - ART8.8 accessories Wireless control

A multi-room system is only powerful when you can integrate it seamlessly in your home, or can control it quickly and easily. This is why ArtSound developed an accessories package.

An overview:





ONE-WAY COMMUNICATION



base 410-00003

white 120-76100 - cover panel

101-00049-11 keys grey 121-76100 - cover panel

121-0049-11 keys

WIRELESS WALL TRANSMITTER

This 8-way wall-mounted transmitter is the perfect way to select different sources, regulate the volume or control the zone. The wall-mounted transmitter is available in two standard colours (410-00003).



RM54.88 EASY

One press on the button suffices to select a music source or set the volume.

IF001

Interface, necessary to use with the wireless wall-mounted transmitter and the RM54.88 FASY





EXT EASY

This optional extender handles the communication with the multiroom system in hard-to-reach zones. By plugging an extender in a zone downstream of these "dead spots", the ARTS.4 or ART8.8 signal will always be at its best

TWO-WAY COMMUNICATION

Only in combination with 1st and 2nd generation ARTS.4 and ART8.8.

RM54.88

RF remote control

This practical remote control boasts an LCD display in colour and a handy navigation island for simple operation of

the entire system (source selection, sound controls, volume, track selection, ...) 1x RM54.88 is supplied as standard.



RD54.88 Charging station

A charging station for the remote control.

Ix RM54.88 is supplied as standard.



EXT54.88 RF-EXTENDER

This extender provides for the communication with the multiroom system at places where that is not given. By plugging in an extender in a zone to cover these dead spots, the signal from the ART5.4 or ART8.8 always







The ART5.4/ART8.8 is a central system, so you don't have to fit out every room with a pile of equipment. Added bonus: the design touchscreens even add extra colour to your room.

Just lay back and relax!

ART5.4 - ART8.8 accessories

Wired control

User-friendliness was also a priority in the development of the ArtSound touchscreens. The simple version is unidirectional. The expanded version with colour screen is a bidirectional control panel. Both may be easily installed using the bus-system principle.





TOUCHSCREENS

UNIDIRECTIONAL WP54.88C



Full colour 2.8" TFT touchscreen. Here you can operate any zone with immediate feedback. Can be connected via 4-wire bus system.

Both controls fit in a standard BTicino 3-unit housing.

BIDIRECTIONAL WP54.88F



 $2.8\ensuremath{^{\circ}}$ touch control provided with 6 touch zones and feedback via LED indication.

Can be connected via 4-wire bus system.

COVER PANELS

Aluminium cover panels in 3 available colours fitted with magnets for simple attachment to the frame



IF004

This power supply is required when using more than 4 wall panels. (ref. WP54.88F)



IF004TRAFO

This power transformer is required for four or more wired control panels.



3TH PARTY ACCESSORIES

IF002

With this interface you can control the art5.4/8.8 with ease from KNX-based domotics systems. The RS232 ports present permit integration with various other systems. For any analogue-connected sources on ART5.4/8.8 we would refer to our various IR solutions.

