



QUANTUM LED PREMIUM

Modern, high class LED panel




Modern, energy-efficient interior luminaire

Quantum LED Premium is high quality and reliable structure luminaire.






Uniform and efficient flux due to special, optical system:

- both-sided lampshade illumination
- three-ply diffuser



Quantum Premium 40 W 600x600

Illuminance :



QUANTUM LED PREMIUM

Branded BAG power supply - non flicker

Luminaire frame was made of two anodized profiles with dedicated cross-section.

Luminaire available in surface and recessed version, also with optional accessories for hang mounting.

Surface mounting elements, powder coated enameled in unique gray, structural colour with lustrous particles.



Available colour temperatures: 4000K - white neutral.

QUANTUM LED PREMIUM

Model *	Catalogue number	Power	Luminous flux	Colour temperature**	Basic dimensions (mm)	Weight (kg)
Quantum LED Premium PT 15 W 30x30 4000 K	97946	18 W	1180 lm	4000 K	300 x 300	3,5
Quantum LED Premium PT 40 W 60x60 4000 K	98017	42 W	3600 lm	4000 K	596 x 596	4,5
Quantum LED Premium PT 50 W 60x60 4000 K	98016	54 W	4870 lm	4000 K	596 x 596	4,5
Quantum LED Premium PT 40 W 120x30 4000 K	98015	42 W	4420 lm	4000 K	1196 x 296	4,6
Quantum LED Premium PT 50 W 120x30 4000 K	98014	58 W	5620 lm	4000 K	1196 x 296	4,6
Quantum LED Premium NT 15 W 30x30 4000 K	97941	18 W	1180 lm	4000 K	300 x 300	3,5
Quantum LED Premium NT 40 W 60x60 4000 K	97940	42 W	3600 lm	4000 K	596 x 596	4,0
Quantum LED Premium NT 50 W 60x60 4000 K	97939	54 W	4870 lm	4000 K	596 x 596	4,0
Quantum LED Premium NT 40 W 120x30 4000 K	97938	42 W	4420 lm	4000 K	1196 x 296	4,6
Quantum LED Premium NT 50 W 120x30 4000 K	97937	58 W	5620 lm	4000 K	1196 x 296	4,6

* PT - model for recessed installations, NT - model for surface installations

** Other colour temperature on request



INTELIGHT Sp. z o.o.
Rydygiera St.8, 01-793 Warsaw, Poland
tel.: +48 22 100 35 10, fax: +48 22 568 22 58
sales@intelight.pl
www.intelight.pl